PATENT COOPERATION TREATY

PCT BEST AVAILABLE COPY

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

REC'D 1 5 NOV 2005

•		•		
Applicant's or agent's file reference BRE363	FOR FURTHER ACT	TION Se	WIPO PCT	
International application No. PCT/EP2004/052972	International filing date (da 16.11.2004	ny/month/year)	Priority date (day/month/year) 20.11.2003	
International Patent Classification (IPC) or national classification and IPC				
G01B7/00				
Applicant MARPOSS SOCIETA' PER AZIONI et al.				
This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.				
2. This REPORT consists of a total of 6 sheets, including this cover sheet.				
3. This report is also accompanied by ANNEXES, comprising:				
a. Sent to the applicant and to the International Bureau) a total of 3 sheets, as follows:				
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).				
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.				
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a				
Box Relating to Sequence	Listing (see Section 802	of the Administrative In	nstructions).	
4. This report contains indications relating to the following items:				
☑ Box No. I Basis of the op	inion			
☐ Box No. II Priority			t and to describe a sufficient	
		d to novelty, inventive s	step and industrial applicability	
☐ Box No. IV Lack of unity o	f invention			
☐ Box No. V Reasoned state applicability; ci	tement under Article 35(2) itations and explanations) with regard to novelty, supporting such statem	inventive step or industrial ent	
☑ Box No. VI Certain docum				
	s in the international appli			
☐ Box No. VIII Certain observ	vations on the internations	al application		
Date of submission of the demand		Date of completion of this	s report	
14.09.2005		11.11.2005		
Name and mailing address of the internation preliminary examining authority:	onal	Authorized Officer	de la constante de la constant	
European Patent Office D-80298 Munich		Beyfuß, M		
D-80298 Munich Tel. +49 89 2399 - 0 Tx: 52: Fax: +49 89 2399 - 4465	3656 epmu d	Telephone No. +49 89 2	399-2725	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/052972

	Box No. I			
١.	With rega filed, unle	n regard to the language , this report is based on the international application in the language in which it was , unless otherwise indicated under this item.		
	whicl	n is the language of a tr	lations from the original language into the following language , anslation furnished for the purposes of:	
	Πn	ublication of the internat	er Rules 12.3 and 23.1(b)) ional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)	
2.	have hee	lith regard to the elements* of the international application, this report is based on <i>(replacement sheets which</i> ave been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this eport as "originally filed" and are not annexed to this report):		
	Description	on, Pages		
	2-13		as originally filed	
	1, 1a		received on 14.09.2005 with letter of 13.09.2005	
	Claims, N	lumbers		
2(part), 3-14		14	as originally filed	
	1, 2(part)		received on 14.09.2005 with letter of 13.09.2005	
Drawings, Sheets		·		
	1/4-4/4	•	as originally filed	
	□ a se	quence listing and/or ar	y related table(s) - see Supplemental Box Relating to Sequence Listing	
3.	☐ The	The amendments have resulted in the cancellation of:		
		he description, pages		
		he claims, Nos. he drawings, sheets <i>l</i> figs		
	□ t	he sequence listing (spe	ecify):	
		any table(s) related to se	equence listing (specify):	
4	had not	This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).		
		the description, pages		
		the claims, Nos. the drawings, sheets/figs	· 3	
		the sequence listing (sp	ecify):	
			equence listing (specify):	
	* If	item 4 applies, s	ome or all of these sheets may be marked "superseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-14

No: Claims

No:

Inventive step (IS)

Yes: Claims

Claims

1-14

Industrial applicability (IA)

Yes: Claims No: Claims 1-14

No: Clai

see separate sheet

Box No. VI Certain documents cited

2. Citations and explanations (Rule 70.7): .

1. Certain published documents (Rule 70.10)

and/or

2. Non-written disclosures (Rule 70.9)

see separate sheet

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

PCT/EP2004/052972

Reference is made to the following documents:

D1: JP 2002 181502*

D2: IT-B-1 179 306

D3: PATENT ABSTRACTS OF JAPAN vol. 011, no. 335 (P-632), 4 November 1987 & JP 62 119402

D4: US 2003/159302 A1

D5: WO 2004/011874 A & PATENT ABSTRACTS OF JAPAN vol. 012, 5 December 2003 & JP 2004 109110*

*: For the above JP documents computer generated English translations are available from the INTERNET (Japanese Patent Office / JPO).

Re Item V:

1. <u>Technical Field:</u> Measuring dimensions of workpieces by contact feelers

2. Prior Art

D4 discloses a measuring head of the type of construction proposed in the present application (casing with transducer inside, movable arm with feeler outside), however without a particular zero-setting mechanism. The measuring head of **D3** has inside the housing a mechanism for simultaneously zero-setting and locking, activated by a handle outside the housing.

The documents **D1** and **D2** are more relevant and can be seen equally as closest prior art:

The head of **D1** comprises a casing 12, a movable arm with a first portion 14 and a second portion 38 carrying a feeler 42, and a position transducer 18. Moreover, the head comprises a zero-setting mechanism for adjusting the mutual arrangement between portion 14 and portion 38. The whole mechanism comprises the parts 60,

PCT/EP2004/052972

58, 50, 36, 44, 62, 66 in combination with the side arm 22 and the movable reference plate 24. The lever 60 forms a "quick lock/unlock device" which is located between said first portion 14 and said second portion 38 and which fixes the mutual arrangement between portions 14 and 38. The reference plate 24 is movable between a first "zero-point setting location" and a second "release location" which is accomplished by ball plungers 29A and B.

The head of **D2** has a position transducer 11 in a casing 1 and a movable arm 8 with a feeler 21 for contacting the workpiece. The arm has two portions coupled by a frictional coupling outside the casing. A lever 42 (142,242) with a mechanical reference is attached to the casing for zero-setting. The lever can be used in a rapid manner and apparently it locks/unlocks the device so that it can be seen as "quick locking/unlocking device".

3. Novelty (Article 33(2) PCT)

The subject matter of independent claim 1 differs from the head of **D1** in that the movable mechanical reference is arranged at the exterior of the casing. Moreover, the subject matter of independent claim 1 differs from the head of **D2** in that the quick locking/unlocking device is between the first portion and the second portion of the movable arm. **The subject matter of independent claim 1 is thus new.**

4. Inventive Step (Article 33 (3) PCT)

Starting from **D1** the feature "arranging the mechanical reference outside the casing" contributes to increasing flexibility. There was no real indication found in the available prior art to include this feature in D1. A respective change in the design would require several modifications in D1 which are not seen as obvious to a skilled person. Starting from **D2** there is no real indication seen to place the mechanical reference between the first portion and the second portion of the movable arm which would also require some non obvious modifications in the **design**. **The subject matter of independent claim 1 is thus also based on an inventive activity.**

PCT/EP2004/052972

5. Dependent Claims

The dependent claims 2 to 14 only add particular features to the subject matter of independent claim 1. The subject matter of claims 1 to 14 is thus also new and based on an inventive activity.

6. Industrial Applicability (Article 33(4) PCT)

The subject matter of the claims 1-14 is industrially applicable, eg. for checking workpieces in the manufacturing line.

Re item VI:

For completeness is remarked that **D5** (a "P"-document) shows a head with a very similar design with respect to the zero-setting mechanism and the locking/unlocking device as compared to that of D1.

Re item VII:

Independent claim 1 is drafted in the two-part form (Rule 6.3(b) PCT), which has been apparently used to delimit the subject matter from the disclosure of **D2**. However, the quick locking/unlocking device would then be incorrectly placed in the characterising part (see item V/2). Since **D1** could be equally seen as closest prior art, a one-part form seems in the present case acceptable.





- 1 -

DESCRIPTION

«HEAD FOR THE LINEAR DIMENSION CHECKING OF MECHANICAL PIECES»

5

10

15

20

Technical Field

The present invention relates to a head for the linear dimension checking of mechanical pieces, including a casing, a movable arm with a first portion partly located inside the casing and a second portion entirely located at the exterior of the casing, a position transducer inside the casing and associated with the first portion, a feeler coupled with the second portion for contacting the piece to be checked, a zero-setting mechanism for adapting the head, by adjusting the mutual arrangement between the first portion and the second portion of the movable arm, to check pieces with different nominal dimensions, the zero-setting mechanism including a movable mechanical reference between the movable arm and the casing, arranged at the exterior of the casing, the movable mechanical reference being adapted to take two positions, to hold the first portion of the movable arm in a preset position with respect to the casing and to release the first portion, respectively.

25

30

Background Art

Gauging heads are known - more specifically gauging heads for checking dimensions of pieces being machined in grinding machines - which include one or two movable arms, each comprising two mutually adjustable portions, a first portion coupled with a transducer of the head and a second portion carrying a feeler for contacting the pieces to be checked.

Japanese patent application published with No. 2002-181502 shows gauging heads of this type, in which measuring arms

10

15

- la -

carrying feelers are coupled to base arms through clamp mechanisms, while a moving plate pushes the base arms to the zero point positions of relative transducers. The moving plate - as well as a relevant guide mechanism with a block and rods - is arranged inside a main body, or casing, of the head and acts against set arms which are also internally arranged.

International patent application published with No. WO 2004/011874 shows gauging heads having also arms with portions clamped to each other and an internal moving plate pushing internal portions of the arms to the zero point positions of relative transducers.

Italian patent No. 1179306 describes some forms of gauging heads according to the prior art portion of claim 1, in which the two portions of the

10

- 14 -

CLAIMS

- 1. A head for the linear dimension checking of mechanical pieces, including
- 5 a casing (1),
 - a movable arm (7) with a first portion (8) partly located inside the casing (1) and a second portion (9) entirely located at the exterior of the casing (1),
 - a position transducer (11) inside the casing (1) and associated with said first portion (8),
 - a feeler (19) coupled with said second portion (9) for contacting the piece to be checked,
 - a zero-setting mechanism (40) for adapting the head, by adjusting the mutual arrangement between the first portion
- (8) and the second portion (9) of the movable arm (7), to check pieces with different nominal dimensions, the zero-setting mechanism (40) including a movable mechanical reference (27) between the movable arm (7) and the casing (1), arranged at the exterior of the casing (1), the
- movable mechanical reference (27) being adapted to take two positions, to hold said first portion (8) of the movable arm (7) in a preset position with respect to the casing (1)
 - and to release the first portion (8), respectively, characterized in that the zero-setting mechanism
- includes a quick locking/unlocking device (20) between said first portion (8) and said second portion (9) of the movable arm (7).
- 2. The head according to claim 1, wherein the zero30 setting mechanism (40) includes a first abutment and
 reference surface (43), integral with the casing (1), said
 movable mechanical reference (27) including a second
 abutment and reference surface (44), integral with the
 movable arm (7), said first abutment and reference surface
 35 (43) and said second abutment and reference surface (44)
 being adapted to mutually cooperate for defining said

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

OTHER: